REFERENCES:

1. Soppimath KS, Kulkarni AR, Rudzinski WE, Aminabhavi TM.(2010),Microspheres as floating drug-delivery systems to increase gastric retention of drugs. Drug Metab Rev., 33(2), 149-160.

2. Soppimeth Kumeresh, Aminabhavi Tejraj, (2009), Development of hollow microspheres as floating controlled release systems for cardiovascular drugs: Preparation and release characteristics, Drug. Dev. Ind. Pharm., 27(6), 507-515.

3. Singh, B.N., Kim, K.H., (2008), Floating drug delivery systems: an approach to oral controlled drug delivery via gastric retention. J. Control. Release 63, 235–259.

4. Baumgartner S, Krsti J, Zorko B, (2008), Optimisation of floating matrix tabletand evaluation of gastric recidence time. Int. J. Pharm., 195(1), 125-135.

5. Shimpi S, Chauhan B, Mahadik K R, Paradkar P, (2007), Preparation and Evaluation of Diltiazem Hydrochloride-Gelucire 43/01 Floating Granules Prepared by Melt Granulation. AAPS Pharm Sci Tech., 5(3), 19-25.

6. Sheth P R, Tossounian.,(2007), J L, Sustained release pharmaceutical capsules, US patent, 4,126,672,November 21;

7. Srivastava A. K., Wadhwa Saurabh, Mishra B.(2005),Oral Sustained Delivery of Atenolol from Floating Matrix Tablets – Formulation and In Vitro Evaluation. Drug, Dev. Ind. Pharm., 31(4-5), 367-374

8. Dave BS, Amin AF, Patel MM.(2004),Gastroretentive Drug Delivery System of Ranitidine Hydrochloride: Formulation and In Vitro Evaluation. AAPS Pharm Sci Tech., 5(2), article 34.

9. FarJoseph N J, Lakshmi S, Jayakrishnan.A , (2002), A floating-type oral dosage form for Piroxicam based on hollow polycarbonate microspheres: in vitro and in vivo evaluation in rabbits, J. Controlled Release, 79(1), 71-79.

10. Nakamichi K, Yasuura H, Fukui H, Oka M, Izumi S, (2001), Evaluation of a floating dosage form of Nicardipine Hydrochloride and Hydroxy propyl methyl cellulose acetate succinate prepared using a twin-screw extruder. Int. J. Pharm., May 7, 218(1-2), 103-112.

11. Shoufeng L, (2001),Stastistical Optimization of gastric floating system for oral controlled delivery of calcium. AAPS Pharm. Sci. Tech., 2(1), 1-10.

12. Whitehead L, Collette H, (2000), Prolong Gastric retention using floating dosage form. Pharm. Tech., 3, 82-90.

13. Talwar N, Sen H, (2000),Orally administered controlled drug delivery system providing temporal and spatial control, WO Patent, 15,1198

14. Yang, L., Eshraghi, J., Fassihi, R., (1999), A new intragastric delivery system for the treatment of Helicobacter pylori associated gastric ulcer: in vitro evaluation. J. Control. Release 57, 215–222.

15. Zia H, Chueth H R, Rhodes C T, (1999),Optimization of Sotalol floating and bioadhesive extended release tablet formulation. Drug. Dev. Ind. Pharm., 21, 1725-1747.

16. Mazer N, Abisch E, Glffeler J C, Laplanche R, Bauer-frind P, Cucala M, Lukachick M, Blum A, (1998),Intra gastric gastrointestinal behavior and absorption kinetic of a normal and a floating modified release capsule of Iseradipine under fasted and fed conditions. J. Pharm. Sci., 89, 647-657.

17. Mazer N, Abisch E, Glffeler J C, Laplanche R, Bauer-frind P, Cucala M, Lukachick M, Blum A, (1998),Intra gastric gastrointestinal behavior and absorption kinetic of a normal and a floating modified release capsule of Iseradipine under fasted and fed conditions. J. Pharm. Sci., 89, 647-657.

18. Igani H M, Timmermans J, Moes A J,(1997), Conception and in vitro investigation of peroral sustained release dosage forms with enhanced gastrointestinal transit. Int. J. Pharm., 35, 157-164.

19. Sangejkar W, A Vadino, I Chaudary, A Parr, R Beihn, G Digenis,(1997), Evaluation of the effect of food and specific gravity of tablets on gastric retention time. Int. J. Pharm., 35, 187-191.

20. Stockwell A F, Davis S S, Walker S E, (1996),In vitro evaluation of alginate gel systems as sustained release drug delivery systems. J.Control.Release;, 3., 167-175.

21. Patel V, Amiji M, (1996), Preparation and characterization of freeze dried chitosan Poly (ethylene oxide) hydrogel for site-specific antibiotic delivery in the stomach, Pharm. Res., 13, 588-593.

22. Atyabi, F., Sharma, H.L., Mohammad, H.A.H., Fell, J.T., (1996), In vivo evaluation of a novel gastric retentive formulation based on ion exchange resins. J. Control. Release 42, 105–113.

23. Sheth P R, Tossounian J, (1994), Hydrodynamically balanced system (HBS): A novel drug delivery system for oral use. Drug. Dev. Ind. Pharm., (10), 313-339.

24. Fabregas J L, Claramunt J, Cucala J, Pous R, Siles A, (1994), In vitro testing of an antcid formulation with prolong gastric residence time (Amalgate Flot-Coat), Drug. Dev. Ind. Pharm., 20, 1199-1212.

25. Franz M R, Oth M P, (1993),Sustained release bilayer buoyant dosage form, US patent, 5,232,704, August 3;.

26. Desai S, Bolton S, (1993), A floating controlled drug delivery systems: In vitro in vivo evaluation. Pharm. Res., 10, 1321-1325.

27. Kaishima Y, Niwa T, Tekeuchi H, Hino T, Itoh Y, (1992), Hollow microspheres for use as a floating controlled drug delivery system in the stomach. J. Pharm. Sci., 81, 135-140.

28. Ichikawa M, Kato T, Kawahara M, Watanabe S, Kayano M, (1991), A new multiple unit oral floating dosage system. II: In vivo evaluation of floating and sustained release characteristics with P-amino benzoic acid and Isosorbide Dinitrate as model drugs, J. Pharm. Sci., 80, 1153-1156